



New Pool Owners - Brushing In Detail

Brushing removes plaster dust, prevents scaling, and helps the surface cure evenly. Skipping this step can lead to rough spots, stains, or discoloration.

Use the Right Brush

- Use a nylon-bristle pool brush for marcite.
- Avoid metal or stainless-steel bristles — they can scratch or damage the surface.
- A 18–24" wide brush head works best for even coverage.

Brush in a Pattern

- Start at the shallow end and work toward the deep end.
- Use long, overlapping strokes to cover all surfaces — walls, steps, and floor.
- Don't forget around the main drain and corners, where dust collects.

Run the Filter Continuously

- Keep your filtration system running 24/7 for at least the first week to help remove dust and debris.
- Clean or backwash your filter regularly during this time.

Maintain Balanced Water Chemistry

- Check and balance your water chemistry daily during the curing phase.
- Improper pH or calcium levels can etch or stain the marcite.
- Follow your pool professional's startup instructions carefully.

New Pool Owners - Brushing Schedule

Start Brushing 24 Hours After Filling

- Once your pool is full of water (after resurfacing), begin brushing the entire surface within the first 24 hours. This helps remove plaster dust and smooth out the curing finish.

Brush Twice a Day for the First Week

- Brush the entire pool 2 times a day during the first 7 days.
- This removes plaster dust and prevents buildup that can stain or harden.
- You'll notice a cloudy look in the water — that's normal and should clear as your filtration system runs.

Continue Daily Brushing for 2–3 Weeks

- After the first week, brush once a day for another 1–2 weeks.
- Continue until no more plaster dust appears when brushing.

Pro Tip:

- After the first month, continue brushing your pool once or twice a week as part of your regular maintenance routine. It helps prevent algae growth and keeps the surface looking bright and smooth.